Molecular Ecology (1995) 4, 795–798

Author index

A'Hara S *see* **Fenton B**

Aagaard JE, Vollmer SS, Sorensen FC, Strauss SH. Mitochondrial DNA products among RAPD profiles are frequent and strongly differentiated among races of Douglas-fir, 441

Abbott RJ, Chapman HM, Crawford RMM, Forbes DG. Molecular diversity and derivations of populations of *Silene acaulis* and *Saxifraga oppositifolia* from the high Arctic and more southerly latitudes, 199

Abe S *see* **Ishibashi Y**

Allaby RG *see* **Sallares R**

Allen PJ, Amos W, Pomeroy PP, Twiss SD. Microsatellite variation in grey seals (*Halichoerus grypus*) shows evidence of genetic differentiation between two British breeding colonies, 653

Amann RI. Fluorescently labelled, rRNA-targeted oligonucleotide probes in the study of microbial ecology, 267

Amos W *see* **Allen PJ**

Amrine Jr JW *see* **Fenton B**

Anderson JB *see* **Kohli Y**

Argiro L *see* **Solano P**

Aspinwall N *see* **Duvernell DD**

Avise JC *see* **Walker D**

Bahl A *see* **Pfenninger M**

Bailey MJ, Lilley AK, Thompson IP, Rainey PB, Ellis RJ. Site directed chromosomal marking of a fluorescent pseudomonad isolated from the phytosphere of sugar beet; stability and potential for marker gene transfer, 755

Bajon R *see* **Richard M**

Baker AJ *see* **Toline CA**

Bancroft DR *see* **Pemberton JM**

Barák I *see* **Walker D**

Bardakci F *see* **Naish K-A**

Barran LR *see* **Bromfield ESP**

Barrett JA *see* **Pemberton JM**

Batt CA *see* **Silva MC**

Baverstock PR *see* **Campbell NJH**

Bell DJ *see* **Webb NJ**

Bernatchez L, Osinov A. Genetic diversity of trout (genus *Salmo*) from its most eastern native range based on mitochondrial DNA and nuclear gene variation, 285, 793 (Erratum)

Bernier NJ *see* **Heath DD**

Birch ANE *see* **Fenton B**

Birt RD *see* **Birt TP**

Birt TP, Friesen VL, Birt RD, Green JM, Davidson WS. Mitochondrial DNA variation in Atlantic capelin, *Mallotus villosus*: a comparison of restriction and sequence analyses, 771

Bjornstad BN *see* **Fredrickson JK**

Bollinger J *see* **Xueqing Xia**

Bonfante P *see* **Lanfranco L**

Bonhomme F *see* **Dallas JF**

Bottomley PJ *see* **Strain SR**

Boursot P *see* **Dallas JF**

Bowen T, Dover GA. PCR amplification of intergenic spacers in the ribosomal DNA of *Drosophila melanogaster* reveals high levels of turnover in length and copy-number of spacers in geographically separated populations, 419

Brock Fenton M *see* **Watt EM**

Brockman FJ *see* **Fredrickson JK**

Brockman FJ. Nucleic-acid-based methods for monitoring the performance of *in situ* bioremediation, 291

Bromfield ESP, Barran LR, Wheatcroft R. Relative genetic structure of a population of *Rhizobium meliloti* isolated directly from soil and from nodules of alfalfa (*Medicago sativa*) and sweet clover (*Melilotus alba*), 183

Brown TA *see* **Sallares R**

Bruce KD, Osborn AM, Pearson AJ, Strike P, Ritchie DA. Genetic diversity within *mer* genes directly amplified from communities of noncultivated soil and sediment bacteria, 329

Brunner LJ *see* **Kohli Y**

Burke VJ *see* **Walker D**

Butlin RK *see* **Mason DJ**

Calvert W *see* **Paetkau D**

Campbell NJH, Harriss FC, Elphinstone MS, Baverstock PR. Outgroup heteroduplex analysis using temperature gradient gel electrophoresis: high resolution, large scale, screening of DNA variation in the mitochondrial control region, 407

Cann RL *see* **Feldman RA**

Carr SM, Snellen AJ, Howse KA, Wroblewski JS. Mitochondrial DNA sequence variation and genetic stock structure of Atlantic cod (*Gadus morhua*) from bay and offshore locations on the Newfoundland continental shelf, 79

Carvalho GR *see* **Naish K-A**

Carvalho TN *see* **De Barro PJ**

Chapman HM *see* **Abbott RJ**

Coffin J *see* **Zheng W**

Colombani F *see* **Dodson JJ**

Cooper SJB, Ibrahim KM, Hewitt GM. Postglacial expansion and genome subdivision in the European grasshopper *Chorthippus parallelus*, 49

Cornuet J-M *see* **Garnery L**

Crawford RL *see* **Knaebel DB**

Crawford RMM *see* **Abbott RJ**

Crease TJ *see* **Van Raay TJ**

de la Cruz M, Whitkus R, Mota-Bravo L. Tropical tree DNA isolation and amplification, 787

Dallas JF, Dod B, Boursot P, Prager EM, Bonhomme F. Population subdivision and gene flow in Danish house mice, 311

Danzmann RG, Ihssen PE. A phylogeographic survey of brook charr (*Salvelinus fontinalis*) in Algonquin Park, Ontario based upon mitochondrial DNA variation, 681

Davidson WS *see* **Birt TP**

Davy AJ *see* **Ferris C**

De Barro PJ, Sherratt GR. Carvalho TN, Nicol D, Iyengar A, Maclean N. Geographic and microgeographic genetic differentiation in two aphid species over southern England using the multilocus (GATA)4 probe, 375

Demesure B, Sodzi N, Petit RJ. A set of universal primers for amplification of polymorphic non-coding regions of mitochondrial and chloroplast DNA in plants, 129

Demezas DH, Reardon TB, Strain SR, Watson JM, Gibson AH. Diversity and genetic structure of a natural population of *Rhizobium leguminosarum* bv. *trifolii* isolated from *Trifolium subterraneum* L, 209

Denton AL *see* **Stiller JW**

Dickinson J, Haydock J, Koenig W, Stanback M, Pitelka F. Genetic monogamy in single-male groups of acorn woodpeckers, *Melanerpes formicivorus*, 765

Dixon KW *see* **Rossetto M**

Dod B *see* **Dallas JF**

Dodson JJ, Colombani F, Ng PKL. Phylogeographic structure in

mitochondrial DNA of a South-east Asian freshwater fish, *Hemibagrus nemurus* (Siluroidei; Bagridae) and Pleistocene sea-level changes on the Sunda shelf, 331
Domenach A-M *see* Nalin R
Dover GA *see* Bowen T
Duvallet G *see* Solano P
Duvernell DD, Aspinwall N. Introgression of *Luxilus cornutus* mtDNA into allopatric populations of *Luxilus chrysocephalus* (Teleostei: Cyprinidae) in Missouri and Arkansas, 173
Dyal PL, Hope S, Mcl Roberts D, Embley TM. Use of the PCR and fluorescent probes to recover SSU rRNA gene sequences from single cells of the ciliate protozoon *Spathidium*, 501

Edwards SV, Grahn M, Potts WK. Dynamics of *Mhc* evolution in birds and crocodilians: amplification of class II genes with degenerate primers, 719
Ellegren H *see* Primmer CR
Ellegren H, Lifjeld JT, Slagsvold T, Primmer CR. Handicapped males and extrapair paternity in pied flycatchers: a study using microsatellite markers, 739
Ellis RJ *see* Bailey MJ
Elphinstone MS *see* Campbell NJH
Embley TM *see* Dyal PL
England LS, Hung Lee, and Trevors JT. Recombinant and wild-type *Pseudomonas aureofaciens* strains introduced into soil microcosms: effect on decomposition of cellulose and straw, 221
Estoup A, Scholl A, Pouvreau A, Solignac M. Monoandry and polyandry in bumble bees (Hymenoptera; Bombinae) as evidenced by highly variable microsatellites, 89

Feldman RA, Freed LA, Cann RL. A PCR test for avian malaria in Hawaiian birds, 663
Fenton B, Malloch G, Jones AT, Birch ANE, Gordon SC, A'hara S, McGavin WJ, Amrine Jr JW. Species identification of *Cecidophyopsis mites* (Acari: Eriophyidae) from different *Ribes* species and countries using molecular genetics, 385
Ferris C, Oliver RP, Davy AJ, Hewitt GM. Using chloroplast DNA to trace postglacial migration routes of oaks into Britain, 731
Fong G, Walker MA, Granett J. RAPD assessment of California phylloxera diversity, 461
Forbes DG *see* Abbott RJ
Fredrickson JK *see* Seidler RJ
Fredrickson JK, McKinley JP, Nierzwicki-Bauer SA, White DC, Ringelberg DB, Rawson SA, Shu-mei Li, Brockman FJ, Bjornstad BN. Microbial community structure and biogeochemistry of Miocene subsurface sediments: implications for long-term microbial survival, 353
Freed LA *see* Feldman RA
Frey B *see* Frey JE
Frey JE, Frey B. Molecular identification of six species of scale insects (*Quadraspidiotus* sp.) by RAPD-PCR: assessing the field-specificity of pheromone traps, 777
Friesen VL *see* Birt TP
Fruth B *see* Gerloff U
Frye M *see* Pfenninger M
Fulthorpe RR *see* Nakatsu CH

Gacesa P *see* Mason DJ
Garcia-Vazquez E *see* Pendas AM
Garnery L, Mosshine EH, Oldroyd BP, Cornuet J-M. Mitochondrial DNA variation in Moroccan and Spanish honey bee populations, 467
Gerloff U, Schlötterer C, Rassmann K, Rambold I, Hohmann G, Fruth B, Tautz D. Amplification of hypervariable simple sequence repeats (microsatellites) from excremental DNA of wild living bonobos (*Pan paniscus*), 517
Gertsch P, Pamilo P, Varvio S-L. Microsatellites reveal high genetic diversity within colonies of *Camponotus* ants, 257
Gibson AH *see* Demezas DH
Gleeson DM. The effects on genetic variability following a recent colonization event: the Australian sheep blowfly, *Lucilia cuprina* arrives in New Zealand, 699
Gold JR *see* Richardson LR
Gordon SC *see* Fenton B
Gouyon P-H *see* Richard M
Grahn M *see* Edwards SV
Granett J *see* Fong G
Green JM *see* Birt TP

Hansen MM, Hynes RA, Loeschcke V, Rasmussen G. Assessment of the stocked or wild origin of anadromous brown trout (*Salmo trutta* L.) in a Danish river system, using mitochondrial DNA RFLP analysis, 189
Harris D *see* Holben WE
Harriss FC *see* Campbell NJH
Haydock J *see* Dickinson
Heath DD, Bernier NJ, Mousseau TA. A single-locus minisatellite discriminates chinook salmon (*Oncorhynchus tshawytscha*) populations, 389
Hewitt GM *see* Cooper SJB
Hewitt GM *see* Ferris C
Hewitt GM *see* Webb NJ
Högberg N, Stenlid J, Karlsson, J-O. Genetic differentiation in *Fomitopsis pinicola* (Schwarts: Fr.) Karst studied by means of arbitrary primed-PCR, 675
Hohmann G *see* Gerloff U
Holben WE, Harris D. DNA-based monitoring of total bacterial community structure in environmental samples, 361
Holland BA *see* Nakatsu CH
Hope S *see* Dyal PL
Howse KA *see* Carr SM
Huff DR *see* Peakall R
Hung Lee *see* England LS
Hynes RA *see* Hansen MM

Ibrahim KM *see* Cooper SJB
Ibrahim KM *see* Webb NJ
Ihssen PE *see* Danzmann RG
Ishibashi Y, Saitoh T, Abe S, Yoshida MC. Polymorphic microsatellite DNA markers in the grey red-backed vole *Clethrionomys rufocanus* bedfordiae, 127
Iyengar A *see* De Barro PJ

Jaarola M, Tegelström H. Colonization history of north European field voles (*Microtus agrestis*) revealed by mitochondrial DNA, 299
Jones AT *see* Fenton B
Jones SJ *see* Spencer PBS
Jubier M-F *see* Richard M

Karlsson J-O *see* Högberg N
Knaebel DB, Crawford RL. Extraction and purification of microbial DNA from petroleum-contaminated soils and detection of low numbers of toluene, octane and pesticide degraders by multiplex polymerase chain reaction and Southern analysis, 303
Knauer F *see* Kohn M
Koenig W *see* Dickinson
Kohli Y, Brunner LJ, Yoell H, Milgroom MG, Anderson JB, Morrall RAA, Kohn LM. Clonal dispersal and spatial mixing in populations of the plant pathogenic fungus, *Sclerotinia sclerotiorum*, 69
Kohn LM *see* Kohli Y

Kohn M, Knauer F, Stoffella A, Schröder W, Pääbo S. Conservation genetics of the European brown bear – a study using excremental PCR of nuclear and mitochondrial sequences, 95
Kotoulas G, Magoulas A, Tsimenides N, Zouros E. Marked mitochondrial DNA differences between Mediterranean and Atlantic populations of the swordfish, *Xiphias gladius*, 475

Lamb T *see* Osentoski MF
Lanfranco L, Wyss P, Marzachi C, Bonfante P. Generation of RAPD-PCR primers for the identification of isolates of *Glomus mosseae*, an arbuscular mycorrhizal fungus, 61
Lejeune B *see* Richard M
Lenski RE. Molecules are more than markers: new directions in molecular microbial ecology, 377
Levy M *see* Zeller KA
Lifjeld JT *see* Ellegren H
Lilley AK *see* Bailey MJ
Lindow SE. The use of reporter genes in the study of microbial ecology, 279
Lipari SE *see* Milgroom MG
Loeschcke V *see* Hansen MM
Lönn M, Prentice HC, Tegelström H. Genetic differentiation in *Hippocrepis emerus* (Leguminosae): allozyme and DNA fingerprint variation in disjunct Scandinavian populations, 39

Maclean N *see* De Barro PJ
Magoulas A *see* Kotoulas G
Mair GC *see* Naish K-A
Malloch G *see* Fenton B
Marsh HD *see* Spencer PBS
Marshall JW *see* Sin FYT
Martin RD *see* von Segesser F
Martinez JL *see* Pendas AM
Marzachi C *see* Lanfranco L
Mason DJ, Butlin RK, Gacesa P. An unusual mitochondrial DNA polymorphism in the *Chorthippus biguttulus* species group (Orthoptera: Acrididae), 121
McGavin WJ *see* Fenton B
McKinley JP *see* Fredrickson JK
McL Roberts D *see* Dyal PL
Milgroom MG *see* Kohli Y
Milgroom MG, Lipari SE. Spatial analysis of nuclear and mitochondrial RFLP genotypes in populations of the chestnut blight fungus, *Cryphonectria parasitica*, 367
Miller DJ *see* Spencer PBS
Mitton JB *see* Rainey-Foreman D
Møller AP *see* Primmer CR
Moran P *see* Pendas AM
Morrall RAA *see* Kohli Y
Mosshine EH *see* Garnery L
Mota-Bravo L *see* de la Cruz M
Mousseau TA *see* Heath DD

Naish K-A, Warren M, Bardakci F, Skibinski DOF, Carvalho GR, Mair GC. Multilocus DNA fingerprinting and RAPD reveal similar genetic relationships between strains of *Oreochromis niloticus* (Pisces: Cichlidae), 265
Nakatsu CH, Fulthorpe RR, Holland BA, Peel MC, Wyndham RC. The phylogenetic distribution of a transposable dioxygenase from the Niagara River watershed, 317
Nalin R, Domenach A-M, Normand P. Molecular structure of the *Frankia* spp. *nifD–K* intergenic spacer and design of *Frankia* genus compatible primer, 485
Ng PKL *see* Dodson JJ
Nicol D *see* De Barro PJ
Nierzwicki-Bauer SA *see* Fredrickson JK
Normand P *see* Nalin R

Odorico DM *see* Spencer PBS
Ogram A *see* Xueqing Xia
Oldroyd BP *see* Garnery L
Oliver RP *see* Ferris C
d'Orgeix CA, Turner BJ. Multiple paternity in the red-eyed treefrog *Agalychnis callidryas* (Cope), 507
Osborn AM *see* Bruce KD
Osentoski MF, Lamb T. Intraspecific phylogeography of the gopher tortoise, *Gopherus polyphemus*: RFLP analysis of amplified mtDNA segments, 709
Osinov A *see* Bernatchez L

Pääbo S *see* Kohn M
Paetkau D, Calvert W, Stirling I, Strobeck C. Microsatellite analysis of population structure in Canadian polar bears, 347
Paetkau D, Strobeck C. The molecular basis and evolutionary history of a microsatellite null allele in bears, 521
Pamilo P *see* Gertsch P
Peakall R, Smouse PE, Huff DR. Evolutionary implications of allozyme and RAPD variation in diploid populations of dioecious buffalograss *Buchloë dactyloides*, 135
Pearson AJ *see* Bruce KD
Peel MC *see* Nakatsu CH
Pemberton JM, Slate J, Bancroft DR, Barrett JA. Nonamplifying alleles at microsatellite loci: a caution for parentage and population studies, 249
Pendas AM, Moran P, Martinez JL, Garcia-Vazquez E. Applications of 5S rDNA in Atlantic salmon, brown trout, and in Atlantic salmon × brown trout hybrid identification, 275
Petit RJ *see* Demesure B
Pfenninger M, Frye M, Bahl A, Streit B. Discrimination of three conchologically similar Helicellinae (Helicella, Gastropoda) species using RAPD-fingerprinting, 523
Pitelka F *see* Dickinson
Pomeroy PP *see* Allen PJ
Potts WK *see* Edwards SV
Pouvreau A *see* Estoup A
Prager EM *see* Dallas JF
Prentice HC *see* Lönn M
Primmer CR *see* Ellegren H
Primmer CR, Møller AP, Ellegren H. Resolving genetic relationships with microsatellite markers: a parentage testing system for the swallow *Hirundo rustica*, 495
Purugganan MD, Wessler SR. Transposon signatures: species-specific molecular markers that utilize a class of multiple-copy nuclear DNA, 271

Rainey-Foreman D, Mitton JB. Glucose utilization by *6pgd* genotypes in *Lolium perenne*, 231
Rainey PB *see* Bailey MJ
Rambold I *see* Gerloff U
Ramey RR II. Mitochondrial DNA variation, population structure, and evolution of mountain sheep in the south-western United States and Mexico, 429
Rasmussen G *see* Hansen MM
Rassmann K *see* Gerloff U
Rawson SA *see* Fredrickson JK
Reardon TB *see* Demezas DH
Reifenberg JM *see* Solano P
Richard M, Jubier M-F, Bajon R, Gouyon P-H, Lejeune B. A new hypothesis for the origin of pentaploid *Holcus* from diploid *Holcus lanatus* L, tetraploid *Holcus mollis* L. in France, 29
Richardson LR, Gold JR. Evolution of the *Cyprinella lutrensis* species group. III. Geographic variation in the mitochondrial DNA of *Cyprinella lutrensis* – the influence of Pleistocene glaciation on population dispersal and divergence, 163
Ringelberg DB *see* Fredrickson JK

Ritchie DA *see* **Bruce KD**
Rossetto M, Weaver PK, Dixon KW. Use of RAPD analysis in devising conservation strategies for the rare and endangered *Grevillea scapigera* (Proteaceae), 321

Saitoh T *see* **Ishibashi Y**
Sallares R, Allaby RG, Brown TA. PCR-based identification of wheat genomes, 511
Sarre S. Mitochondrial DNA variation among populations of *Oedura reticulata* (Gekkonidae) in remnant vegetation: implications for metapopulation structure and population decline, 395
Scheffrahn W *see* **von Segesser F**
Schlötterer C *see* **Gerloff U**
Scholl A *see* **Estoup A**
Schröder W *see* **Kohn M**
von Segesser F, Scheffrahn W, Martin RD. Parentage analysis within a semi-free-ranging group of Barbary macaques *Macaca sylvanus*, 115
Seidler RJ, Fredrickson JK. Introduction to the Special Issue on molecular microbial ecology, 253
Sherratt GR *see* **De Barro PJ**
Shu-Mei Li *see* **Fredrickson JK**
Silva MC, Batt CA. Effect of cellular physiology on PCR amplification efficiency, 11
Sin FYT, Suckling DM, Marshall JW. Differentiation of the endemic New Zealand greenheaded and brownheaded leafroller moths by restriction fragment length variation in the ribosomal gene complex, 253
Skibinski DOF *see* **Naish K-A**
Slagsvold T *see* **Ellegren H**
Slate J *see* **Pemberton JM**
Smouse PE *see* **Peakall R**
Snellen AJ *see* **Carr SM**
Sodzi N *see* **Demesure B**
Solano P, Argiro L, Reifenberg JM, Yao Y, Duvallet G. Field application of the polymerase chain reaction (PCR) to the detection and characterization of trypanosomes in *Glossina longipalpis* (Diptera: Glossinidae) in Côte d'Ivoire, 781
Solignac M *see* **Estoup A**
Sorensen FC *see* **Aagaard JE**
Spencer PBS, Odorico DM, Jones SJ, Marsh HD, Miller DJ. Highly variable microsatellites in isolated colonies of the rock-wallaby (*Petrogale assimilis*), 525
Stacey NE *see* **Zheng W**
Stahl DA. Application of phylogenetically based hybridization probes to microbial ecology, 255
Stanback M *see* **Dickinson**
Stenlid J *see* **Högberg N**
Stiller JW, Denton AL. One hundred years of *Spartina alterniflora* (Poaceae) in Willapa Bay, Washington: random amplified polymorphic DNA analysis of an invasive population, 355
Stim KP. A phylogenetic analysis of micro-organisms isolated from subsurface environments, 1
Stirling I *see* **Paetkau D**
Stoffella A *see* **Kohn M**
Strain SR *see* **Demezas DH**
Strain SR, Whittam TS, Bottomley PJ. Analysis of genetic structure in soil populations of *Rhizobium leguminosarum* recovered from the USA and the UK, 105
Strauss SH *see* **Aagaard JE**
Streit B *see* **Pfenninger M**
Strike P *see* **Bruce KD**
Strobeck C *see* **Paetkau D**
Strobeck C *see* **Paetkau D**
Strobeck C *see* **Zheng W**

Suckling DM *see* **Sin FYT**

Tarr CL. Primers for amplification and determination of mitochondrial control-region sequences in oscine passerines, 529
Tautz D *see* **Gerloff U**
Tegelström H *see* **Jaarola M**
Tegelström H *see* **Lönn M**
Thompson IP *see* **Bailey MJ**
Tiedje JM *see* **Zhou J-Z**
Toline CA, Baker AJ. Mitochondrial DNA variation and population genetic structure of the northern redbelly dace (*Phoxinus eos*), 745
Trevors JT *see* **England LS**
Tsimenides N *see* **Kotoulas G**
Turner BJ *see* **d'Orgeix CA**
Twiss SD *see* **Allen PJ**

Van Raay TJ, Crease TJ. Mitochondrial DNA diversity in an apomictic *Daphnia* complex from the Canadian High Arctic, 149
Varvio, S-L *see* **Gertsch P**
Vollmer SS *see* **Aagaard JE**

Walker D, Burke VJ, Barák I, Avise JC. A comparison of mtDNA restriction sites vs. control region sequences in phylogeographic assessment of the musk turtle (*Sternotherus minor*), 365
Walker MA *see* **Fong G**
Warren M *see* **Naish K-A**
Watson JM *see* **Demezas DH**
Watt EM, Brock Fenton M. DNA fingerprinting provides evidence of discriminate suckling and non-random mating in little brown bats *Myotis lucifugus*, 261
Weaver PK *see* **Rossetto M**
Webb NJ, Ibrahim KM, Bell DJ, Hewitt GM. Natal dispersal and genetic structure in a population of the European wild rabbit (*Oryctolagus cuniculus*), 239
Wessler SR *see* **Purugganan MD**
Wheatcroft R *see* **Bromfield ESP**
White DC *see* **Fredrickson JK**
Whitkus R *see* **de la Cruz M**
Whittam TS *see* **Strain SR**
Williams T. Patterns of covert infection by invertebrate pathogens: iridescent viruses of blackflies, 449
Wroblewski JS *see* **Carr SM**
Wyndham RC *see* **Nakatsu CH**
Wyss P *see* **Lanfranco L**

Xueqing Xia, Bollinger J, Ogram A. Molecular genetic analysis of the response of three soil microbial communities to the application of 2,4-D, 17

Yao Y *see* **Solano P**
Yoell H *see* **Kohli Y**
Yoshida MC *see* **Ishibashi Y**

Zeller KA, Levy M. Intraspecies differentiation in the powdery mildew *Erysiphe cichoracearum* determined with rDNA RFLPs, 277
Zheng W, Stacey NE, Coffin J, Strobeck C. Isolation and characterization of microsatellite loci in the goldfish *Carassius auratus*, 791
Zhou J-Z, Tiedje JM. Gene transfer from a bacterium injected into an aquifer to an indigenous bacterium, 347
Zouros E *see* **Kotoulas G**

Molecular Ecology (1995) 4, 799–800

Keyword index

acorn woodpecker, 765
adaptation, 643
Agalychnis callidryas, 505
allozyme, 135
allozyme diversity, 199
allozymes, 39, 239, 285, 441
AMOVA, 135
ants, 257
anuran, 505
Aphididae, 375
arbuscular mycorrhizal fungi, 61
archosaurs, 719
arctic, 149
Arctic flora, 199
asexual reproduction, 69
avian malaria, 663

bacteria, 221
balancing selection, 719
'bay cod', 79
bioremediation, 567
biotrophic parasites, 277
bisbenzimidazole, 627
blackfly, 447
Bombus species, 89
bonobos, 515
Brassica, 69
brown bear (*Ursus arctos*), 95
buffalograss, 135
bumble bee, 89

3-chlorobenzoate degradation, 613
Camponotus, 257
capelin, 771
catabolic gene detection, 579
cellulose degradation, 221
Cervus elaphus, 249
chestnut blight, 633
chlorobenzoate, 593
chloroplast DNA, 199
chloroplast DNA (cpDNA), 731
Chorthippus biguttulus group, 121
Chorthippus parallelus, 49
ciliates, 499
clonal plants, 29
clonality, 69
co-operative breeding, 765
coamplification bias, 11
colonization, 163, 299, 699
Comamonas, 593
community cross-hybridization, 17
community structure, 627
competitive nodulation, 183
conservation, 189, 285, 395
conservation biology, 429
conservation genetics, 523
conservation strategy, 321
contact zone, 299
control region, 95, 527
cordgrass, 355
Cryphonectria (*Endothia*) *parasitica*, 633
Ctenopseustis, 253
Cyprinella, 163
cyprinid, 791
Cyprinidae, 173
cytochrome-*b*, 771

D2, 4-D, 17
Daktulospharia vitifoliae, 459
Daphnia, 149
degradation, 593
Diaspididae, 777
Diptera, 699
discriminant analysis, 389
discriminate suckling, 261
dispersal, 395
diversity, 643
DNA, 567
DNA extraction, 11
DNA fingerprinting, 39, 69, 115, 239, 265, 271, 347, 355, 375, 389, 493, 505, 519, 765, 791
DNA isolation, 787
DNA markers, 257
DNA probes, 61
DNA sequencing, 731, 771
DNA-based, 627
Douglas-fir, 441
Drosophila melanogaster rDNA, 419

ecological genetics, 643
effective population size, 311
endangered flora, 321
environmental microbiology, 567
eriophyid mites, 383
Erysiphaceae, 277
eusociality, 257
excremental DNA, 515
excremental PCR, 95
extra-pair paternity, 493
extrapair fertilization, 739

F statistics, 239, 311
FE(III)-reducing, 619
female choice, 739
Ficedula hypoleuca, 739
filed vole (*Microtus agrestis*), 299
fish, 681, 791
fitness, 643
flourescent probes, 499
fluctuations in incidence, 447
fluorescence, 543
Fomitopsis pinicola, 675
fragmentation, 395
Frankia, 483
freshwater catfish, 331
Fringillidae, 527
F_{st}, 653
fungi, 277

gall mite, 383
geckos, 395
GEMs, 221
gene arrangement, 129
gene expression, 643
gene flow, 395, 473, 699
gene transfer, 593, 613, 755
genetic differentiation, 39, 441, 653
genetic divergence, 121
genetic diversity, 39, 135, 209, 459, 465, 605
genetic markers, 681
genetic stock structure, 79
genetic structure, 105, 473, 633
genetic variation, 115, 375, 675, 731
genome-specific probes, 509
genomic turnover, 419
glacial history, 299
glacial refugia, 199, 681
glaciation, 149
Glomus mosseae, 61
Glossina longipalpis infection, 781
glucose utilization, 231
GMM detection, 755
goldfish, 791
Gopherus polyphemus, 709
grapevines, 459
grasshopper, 49
Grevillea, 321
grey red-backed vole, 127
grey seal, 653

Halichoerus grypus, 653
hatchery strain, 189
Hawaiian honeycreepers, 663
Helicellinae, 521
heteroduplex analysis, 407
highly variable microsatellites, 89
Hippocrepis emerus, 39
Holcus, 29
honeybee, 465
host preference, 375
hybridization, 29, 121, 149, 173, 567
hybridization analysis, 509
hybrids, 275

IGS length polymorphism, 419
immigration, 69
in situ hybridization, 543, 619
inapparent infection, 447
inclusive fitness, 765
insertion sequence hybridization, 183
internal transcribed spacers, 383
intraspecific phylogeny, 365
intraspecific polymorphism, 129
introgression, 173, 189
intron, 129
invasive species, 355
iridescent viruses, 447
isolation by distance, 633
isozyme electrophoresis, 699

leafrollers, 253
linkage analysis, 493
linkage disequilibrium, 105
lipids, 619

Luxilus chrysocephalus, 173
Luxilus cornutus, 173

Macaca sylvanus, 115
macropods, 523
major histocompatibility complex, 719
marsupials, 523
mate-guarding, 765
mating system, 505
Medicago sativa, 183
Melanerpes, 765
Melilotus alba, 183
Melomys, 407
mercury resistance genes, 605
metapopulation, 395
Metopolophium dirhodum, 375
microbial ecology, 543
microbial mat, 535
microsatellite evolution, 257
microsatellites, 127, 249, 311, 347, 493, 515, 519, 523, 653, 739, 791
migration, 653
minisatellite DNA, 675, 765
minisatellites, 271
mitochondrial control region, 407
mitochondrial DNA, 95, 163, 173, 285, 299, 311, 365, 441, 465, 473, 745, 771
mitochondrial DNA RFLP, 189
molecular evolution, 613
molecular markers, 643
molecular phylogenetics, 331
molecular structure, 483
monoandry, 89
monogamy, 765
Morocco, 465
mountain sheep, 429
mtDNA, 149, 331, 395, 527, 709
mtDNA cytochrome *b* sequences, 79
mtDNA variation, 121
multilocus enzyme electrophoresis (MLEE), 209
multiple paternity, 505
multiplex PCR, 579
mutation rate, 493
Myotis lucifugus, 261

nah R, 11
natal dispersal, 239
*nif*D-K intergenic spacer (IGS), 483
*nif*D-K primers, 483
non-random mating, 261
nonamplifying alleles, 249
nonequilibrium, 395
nonsymbiotic, 183
nontarget effect, 221
northern cod complex, 79
nuclear DNA, 49
null allele, 493
null alleles, 519

oligogyny, 257
oligonucleotide, 543
Oreochromis, 271
Oryctolagus cuniculus, 239

6-phosphogluconate dehydrogenase, 231

parentage testing, 493
parthenogenetic, 459
parthenogens, 149
passerines, 527
paternity, 249, 739
paternity testing, 115
PCR, 11, 49, 61, 79, 127, 221, 249, 275, 277, 383, 419, 483, 499, 509, 519, 527, 567, 663, 675, 709, 771, 777, 781
PCR amplification, 605
perennial ryegrass, 231
persistence, 447
perturbation response, 627
pesticide affects, 17
pheromone specificity, 777
Phoxinus, 745
phyllosphere pseudomonads, 755
phylloxera, 459
phylogeny, 1, 285, 499, 613
phylogeography, 163, 299, 365, 465, 709
phylotype, 535
physiological adapation, 231
pied flycatcher, 739
Planotortrix, 253
plasmid, 593
Pleistocene glaciation, 163
polyandry, 89
polyploidy, 29
population, 675
population differentiation, 389
population ecology of prokaryotes, 105
population genetic structure, 135
population genetics, 321, 331, 347, 355, 429, 519, 681, 699
population structure, 39, 183, 209, 347, 365
postglacial expansion, 49
postglacial history, 731
powdery mildew, 277
primer, 791
primers, 527
principle component analysis, 389
protein electrophoresis, 115
proteobacteria, 593
Pseudomonas, 221, 593
Pseudomonas putida, 11

Quercus sp., 129
Quercus spp., 731

RAPD, 17, 61, 135, 271, 321, 355, 441, 459, 521, 787
RAPD markers, 777
rDNA, 29, 441
rDNA loci, 509
red deer, 249
reliability, 11
reproductive success, 115
restriction analysis, 277, 473, 771
restriction fragment length polymorphism (RFLP), 121, 209, 331, 605, 709, 745
restriction fragment length variation, 253
restruction site polymorphism, 265
retrotransposon, 265
Rhizobium leguminosarum, 105
Rhizobium leguminosarum bv. *trifolii*, 209
Rhizobium meliloti, 183
Ribes, 383
ribosomal DNA, 253, 383
ribosomal RNA, 1, 543
ribosomal rRNA genes, 509
RNA, 567

5S ribosomal DNA, 275
16S rRNA, 535, 619
18S rRNA, 663
Salmo, 285
Salmo trutta, 189
salmonids, 275, 681
Saxifraga oppositifolia, 199
screening technique, 407
selection, 681
sequence, 483
sequencing, 745
sex determination, 95
sheep blowfly, 699
Silene acaulis, 199
Simulium variegatum, 447
single cells, 499
single-locus DNA marker, 127
Sitobion avanae, 375
social insects, 89
soil, 221
soil bacteria, 605
soil DNA, 579
soil microbiology, 17, 105
South-east Asia, 331
Spain, 465
Spartina alterniflora, 355
spatial autocorrelation, 633
spatial patterning, 69
species identification, 777
specific primers, 61
sperm competition, 505
SSU rDNA, 499
stock discrimination, 473
stocking, 189
structure, 745
subdivision, 49
subsurface, 619
subsurface microbes, 1
sulphate-reducing, 619
sulphate-reducing bacteria, 535
symbiotic effectiveness, 209

taxonomic identification, 521
taxonomy, 285, 777
TGGE, 407
tilapia, 271
Tripsacum, 265
$tRNA^{leu1}$ intron, 731
tropical trees, 787
Trypanosoma congolense, 781
trypanosome characterization, 781

Uromys, 407
Ursidae, 519
Ursus maritimus, 347

wheat, 509

Xiphias gladius, 473

Zea, 265